



Micro Commercial Components

Micro Commercial Components
20736 Marilla Street Chatsworth
CA 91311
Phone: (818) 701-4933
Fax: (818) 701-4939

1N34A

Features

- Low Leakage Current
- Low Junction Capacitance
- High Mechanical Strength
- Marking : Green cathode band
- Lead Free Finish/RoHS Compliant(Note 1) ("P" Suffix designates RoHS Compliant. See ordering information)

Maximum Ratings

- Operating Temperature: -65°C to +75°C
- Storage Temperature: -65°C to +75°C


Electrical Characteristics @ 25°C Unless Otherwise Specified

Peak Inverse Voltage	PIV	65V	$I_R=1.0\text{mA}$
Average Rectified Current	I_o	50mA	
Peak Forward Surge Current	I_{FSM}	500mA	8.3ms, half sine
Maximum Instantaneous Forward Voltage	V_F	1.00V	$I_{FM} = 5.0\text{mA};$ $T_J = 25^\circ\text{C}^*$
Maximum Reverse Current	I_R	30uA 500uA	$T_A = 25^\circ\text{C}$ $V_R=10\text{V}$ $V_R=50\text{V}$
Typical Junction Capacitance	C_J	0.8pF	Measured at 1.0MHz, $V_R=0\text{V}$

Notes:1.Lead in Glass Exemption Applied, see EU Directive Annex 5.
2.Pulse test: Pulse width 300 usec, Duty cycle 2%

**Germanium Diode
65 Volt**

DO-7



DIMENSIONS					
DIM	INCHES		MM		NOTE
	MIN	MAX	MIN	MAX	
A	-----	.300	-----	7.62	
B	-----	.107	-----	2.72	Ø
C	.018	.022	0.46	0.56	Ø
D	1.000	-----	25.40	-----	

Ordering Information

Device	Packing
(Part Number)-TP	Tape&Reel;5Kpcs/Reel

IMPORTANT NOTICE

Micro Commercial Components Corp. reserves the right to make changes without further notice to any product herein to make corrections, modifications , enhancements , improvements , or other changes .
Micro Commercial Components Corp. does not assume any liability arising out of the application or use of any product described herein; neither does it convey any license under its patent rights ,nor the rights of others . The user of products in such applications shall assume all risks of such use and will agree to hold *Micro Commercial Components Corp.* and all the companies whose products are represented on our website, harmless against all damages.

APPLICATIONS DISCLAIMER

Products offer by *Micro Commercial Components Corp.* are not intended for use in Medical, Aerospace or Military Applications.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Micro Commercial Components \(MCC\):](#)

[1N34A-TP](#)